



TURN PRINT ONLY



SECTION A-A
SCALE 1 : 2

去毛边, 锐边, R.005/.015 公差 角度正负30

A	

REMOVE BURRS,
BREAK SHARP EDGES
R.005/.015




TOLERANCES

.XX	± .010
.XXX	± .005
.XXXX	± .0005
FRACTIONAL	± 1/32
ANGULAR	± 30'

DESIGNED BY: X
SCALE: SCALE:1:2
DATE DRAWN: 5-5-2016
PART NAME:

OUTPUT GEAR SET

MATERIAL: 8620	REV: A	USED ON: EV2
PART NUMBER: EV2004		
PLATING: NONE		



Ø 6.687 MIN STOCK
LEAVES .1 PER SIDE

REMOVE BURRS,
BREAK SHARP EDGES
R.005/.015

TOLERANCES

.XX	± .010
.XXX	± .005
.XXXX	± .0005
FRACTIONAL	± 1/32
ANGULAR	± 30'

A	

HEAT TREAT TO RC58/61
.030/.040 TOTAL CASE DEPTH

DESIGNED BY:	X
SCALE:	SCALE:1:2
DATE DRAWN:	5-4-2016

PART NAME:
FORK

MATERIAL:	8620	REV:	A	USED ON:	EV2
HEAT TREAT:	SEE NOTE	PART NUMBER: EV2010			
PLATING:	NONE				

